



Well Child Schedule*

<u>Age</u>	<u>Immunizations & Screening Tests</u>
Newborn (3-7 days old as indicated)	Hepatitis B if not given in hospital
2 weeks	None
1 month	None
2 months	Pediarix (DTaP-IPV-Hep B), Prevnar (pneumococcal), Rotavirus
4 months	Pediarix (DTaP-IPV-Hep B), Prevnar (pneumococcal), Rotavirus
6 months	Pediarix (DTaP-IPV-Hep B), Prevnar (pneumococcal), Rotavirus
9 months	Hepatitis B (only if needed), Lead screening or test
12 months	MMR, Varivax (chickenpox), Hepatitis A, Hemoglobin test
15 months	DTaP, Hib, Prevnar (pneumococcal)
18 months	Hepatitis A, lead screening or test
24 months	None, if previous series completed.
3 years	None, if previous series completed
4 years	May start KG series- MMR, Varivax, DTaP, IPV
5 years	KG series (if not completed at 4 y/o)- MMR, Varivax, DTaP, IPV
6-10 years**	Recommend yearly check-up but no shots needed
11 years**	Menactra (MCV meningococcal), Tdap, Gardasil (HPV--series of 3)
12 years	Gardasil (HPV) if not completed
16 years	Menactra (MCV) booster
13-21 years**	Recommend yearly check-up, shots only if series not done.

We also recommend a **yearly Influenza vaccine** in the fall for all children age 6 months and older. Children over age 2 with NO history of inhaler use may be eligible for the *intranasal* influenza vaccine.

*We follow the Well Child and immunization schedules recommended by the American Academy of Pediatrics (AAP) and the Centers for Disease Control (CDC).

**A screening non-fasting lipid panel will be performed once between 9-11 years of age and again between 16-18 years of age. This is a new recommendation of the American Academy of Pediatrics (AAP).