

Top Selling Automotive Air Conditioning Tools for auto repair

Auto AIR CONDITIONER (A/C) Tool we offer a wide range of A/C tools including some diagnostic tools. Manifold gauge and its related items /accessories are our top selling category.

Item	Auto Air Conditioning Tool Description
------	--



[AME501I](#)

[FUEL INJECTION TEST KIT](#)

Two gauges have dual reading function. All adapters and fittings provide speedy and efficient test. It is safe and accurate.



[AMC625C](#)

[R12/R134a ALUMINUM MANIFOLD GAUGE SET W/ SIGHT GLASS](#)

Confirms movement and condition of refrigerant passing through the manifold by sight glass.



[AMC045C](#)

[R12 TO R134a CONVERSION KIT](#)

Converts R12 gauges to R134a gauge.



[AMR760E](#)

[DELUXE NOID SET IAC SIGNAL TESTER](#)

Its provides direction to the idle air-control motor on GM vehicles.



[AMR759E](#)

[ELECTRONIC FUEL INJECTION TEST SET](#)

It has two more noids tester than ANR760E.



[AMR761I](#)

[12PC DELUXE NOID LIGHT/IAC TEST KIT](#)

This is a complete set with all the most useful noid light plus 4" cable. Moreover, it includes spark tester which helps you to identify dead spark.



[AMR659E](#)

[POWER STEERING TESTER](#)



[AMM496E](#)

[FUEL & TRANSMISSION LINE DISCONNECT TOOL SET](#)


Its provides direction to the idle air-control motor on GM vehicles.



[AMM499V](#)

[6 PC DISCONNECT TOOL SET](#)

Multi-function disconnect tool set for Ford series car.



[AMR578C](#)

[FULL -COVERAGE DISCONNECT TOOL SET](#)

This set serve on heater hoses, transmission oil coolers, air conditioning, and fuel lines.



[AMR575D](#)

[9PC DISCONNECT TOOL SET](#)

9 separate tools for disconnecting fuel, transmission, and A/C connectors.



[AMR779L](#)

[FUEL LINE DISCONNECT TOOL SET](#)

Design for uncoupling quick release fittings on fuel line to most of the cars.



[AMC030E](#)

[UNIVERSAL AIR CONDITIONING ADAPTER SET](#)

Multi-function adapter set for Ford and GM series air conditioner.



[AMR730E](#)

[AIR CONDITIONING COMPRESSOR/ CLUTCH](#)

Apply for many manufactures of compressors maker.



[AMR900V](#)

[GM SEAL SET\(FOR A6, R4, LATE DA6, HR-6, V5, 6 POLE R4\)](#)

The professional seal set for GM series car.



[AMR901V](#)

[SPECIAL GM DA6 SEAL SET](#)

A specialized seal set for GM DA6.



[AMR904V](#)

[FORD FX-15/FS-10 SERVICE SEAL SET](#)

A specialized seal set for Ford FX-15/FS-10.



[AMR905V](#)

[MASTER SEAL SERVICE TOOL SET](#)

Once you have this 36 pcs seal set, you will need no more seal tools.



[AMR907V](#)

[DELUXE ORIFICE TUBE KIT](#)

Includes all the specialized tools needed for removing & replacing all types of orifice tubes.



[AMR916I](#)

[R134a RETROFIT TOOL KIT](#)

For R134a & R12 valve core tool.



[AMC013R-A](#)

[AIR CONDITIONER SYSTEM FLUSH GUN KIT](#)

Recover refrigerant from air conditioning system in accordance with laws.



[AMC800R](#)

[CANISTER-TYPE FUEL INJECTOR CLEANER](#)

It is easier and faster than cleaning fuel by aerosol methods.



[AMC090R](#)

[FUEL INJECTION CANISTER CLEANER - 2 GAUGES](#)

Two gauges enable a Technician to check the fuel pressure with the bottom gauge when referring the top gauge.



[AMR577L](#)

[COMPRESSOR OIL INJECTER ADAPTER FOR AIR CONDITION](#)

It works for air conditioning system when adding refrigerant.



[AMC049D](#)

[CONDENSER FIN COMB](#)

6 head for 6, 8, 10, 12, 14, 15 fins per inch application. Also, another application for 10.5, 11, 13, 18, 20, 22 fins per inch is available!



[AMC060D](#)

[3 IN 1 R134a/ R12 SIDE MOUNT CAN TAP VALVE](#)

Adjustable holder for 3 different sizes of can.



[AMC061D](#)

[R134a CAN TAP VALVE SCREW ON](#)


Specially designed for 16oz and smaller 12-1349 refrigerant cans.



[AMC063D](#)

[R134a CAN TAP VALVE SCREW ON](#)

Built-in safety valve.



[AMR981I](#)

[TANK LEAKAGE TESTER KIT](#)

This set can work on varied kinds world-wide radiator system. Colorful adapters allow you to identify the objects.



[AMR133I](#)

[VACUUM TESTING/BRAKE BLEEDING KIT](#)

It includes complete fittings and accessories for vacuum testing and brake bleeding. The gun is 2-way function (push & suction)



[AMR652I](#)

[COOLING SYSTEM & RADIATOR CAP PRESSURE TESTER](#)

Testing of the radiator in professional way. Works for GM, Mercedes, Ford, Chrysler, Acura, Honda, Toyota, Nissan, and much more! Includes 5 adapters + 2 cap adapters.



[AMR653I](#)

[COOLING SYSTEM & RADIATOR CAP PRESSURE TESTER \(EXTRA DEVICES\)](#)

Includes 14 adapters + 2 cap adapters + Extra Devices for more vehicles, which not covered with 14 adapters attached. Works for GM, Mercedes, Ford, Chrysler, Acura, Honda, Toyota, Nissan, BMW, Passa, Golf, Saab, Opel...etc., etc..



[AMM514R](#)

[PNEUMATIC FLUID EXTRACTOR](#)

Extract within 3 Min. for 5 liter engine oil and also can be used on various kinds fluid.



[AMM519C](#)

[9 LITERS MANUAL & PNEUMATIC FLUID EXTRACTOR](#)

A large 9.0 liter (2.35gallon) capacity and can be operated by both manual (hand pump) and pneumatic (compressor) way.



[PPY002R](#)

[VACUUME PUMP](#)

Quality vacuum pump at competitive price! Various types of vacuum pumps are available at Chain Auto Tools.



[MET551L](#)

[INFRARED THERMOMETER WITH LASER MARK FUNCTON](#)

CE approved product. Auto data hold function, auto power off function, and many other function installed.



[AMC582A](#)

[DIGITAL THERMOMETER](#)

Temperature scale range is between -58 to 392°F (-50 to 200°C). 1" dial size. Convenient and compact thermometer for cars, house a/c, and other situations.



[AMC770R](#)

[STANDARD VALVE CORE REMOVER / INSTALLER](#)

Double ended for easy replacement of standard and GM large bore valve cores



[AMC779R](#)

[R134a VALVE CORE REMOVER AND INSTALLER](#)

For 13mm and 16mm high and low service port standard type valve



[AMC003D](#)

[STANDARD VALVE CORE REMOVER / INSTALLER](#)

Lever position gives visual indication of whether valve is opened or closed



[AMC750L](#)

[UNIVERSAL VALVE CORE REMOVER-R134a LARGE BORE REMOVER](#)

Used for R12/R134a standard as well as JIRA/EATON bore R134a cores



[AMC300L](#)

[FORD & GM ORIFICE TUBE REMOVER / INSTALLER](#)

Used on all GM (CCOT) and Ford (FOTCC) systems with evaporator inlet orifice tube



[AMC752L](#)

[CONTROL VALVE](#)

1/4" FFL x 1/4" MFL. Ideal for use on charged systems. Eliminates refrigerant, oil, or dye from spraying during connections. Brass body with 1/4" FFL swivel



[AMC754L](#)

[R12 THREAD REPAIR TOOL](#)

R12 1/4", 3/16", AND 1/8" threads-a must to ensure R134a retrofit adapters fit securely



[AMC066R](#)

[HAND TURN DYE INJECTOR](#)

Injector 1/4 to 2 ounce of fluorescent dye into R12 or R134a A/C system under pressure



[AMC067R](#)

[STANDARD OIL INJECTOR](#)

Adding oil by allowing vacuum to pull it in after the evacuation process or use refrigerant to push it in using the recharge process. 1/2" ACME-M * 1/2" ACME-F (R134a)



[AMC064R](#)

[STANDARD OIL INJECTOR](#)

Adding oil by allowing vacuum to pull it in after the evacuation process or use refrigerant to push it in using the recharge process. 1/4" FFL * 1/4" MFL



[AMC062R](#)

[EASY CONNECT OIL INJECTOR](#)

Adding oil by allowing vacuum to pull it in after the evacuation process or use refrigerant to push it in using the recharge process.
13mm-M x 13mm-F low side coupler (R134a)



[AMC065R](#)

[EASY CONNECT OIL INJECTOR](#)

Adding oil by allowing vacuum to pull it in after the evacuation process or use refrigerant to push it in using the recharge process.
1/4" FFL * 1/4" MFL



[TLT1000P](#)

[REFRIGERATION BASIC TOOL KIT](#)

Standard tool kit for refrigerant professionals. Including charging hoses, wrench, reamer, fin straightener, etc. This kit comes with plastic box for easy storage.











[AMM930E](#)

[AIR CONDITIONING SEAL INSTALLATION AND REMOVAL TOOL KIT](#)

Seal removal tool for worn seals on pipes and seal installing for each current seal size (#6, 8, 10 and 12). Anodized aluminum applied to protect seals and pipes

Auto Body Repair Tools and Equipment

Automotive BODY repair tools CHAIN's ability to handle large orders of tools and equipment fitting customer specifications means we can provide careful, quality-controlled OEM solutions for your needs.

Item	Tool Description
 CPA027I	<p>LEAD MORE FORM HITTER SET</p> <p>The handle is designed to grip the bits tightly and protect the hand while using a hammer.</p> <p>11 kinds of bit allow you to work on many situations. Patent in U.S.A & Japan</p>
 CPA023V	<p>14PC CHISEL & PUNCH SET</p> <p>The handle is designed with double locking device and hand protection while using a hammer.</p>
 CPA028I	<p>LEAD MORE BODY HAMMER SET</p> <p>The hammer's handle is designed to grip the bits tightly. 9 kinds of bit allow you to work on many situations. Patent in U.S.A & Japan</p>
 CPA025V	<p>ALL GO CHISEL & PUNCH SET</p> <p>The handle is designed to grip the bits tightly. The handle will protect the user's hand from a hammer.</p> <p>12 kinds of bit allow you to work on many situations. Patent in U.S.A & Japan</p>
 KFS208L	<p>WINDOW SCRAPER</p> <p>Remove and inset your spare blade safely</p>
 KFS227L	<p>4PC SUPER SCRAPER</p> <p>Works like a chisel.</p>
 KFS223O	<p>3PC STAINLESS STEEL SCRAPER SET</p> <p>Size 10, 15, 23mm and stainless material applied.</p>
 AMM363L	<p>WIRE FEEDER/ STARTER</p> <p>Comfortable and stable "T" shape handle</p>



5PC HANDY REMOVER SET

For plastic upholstery fastener.

AMM597D



REMOVER PULLER TYPE

Multi-pupose remover series including auto body parts

AMM588L



HANDY REMOVER

Multi-pupose remover series

AMM589L



REMOVER NARROW TYPE

Multi-pupose remover series

AMM590L



REMOVER WIDE TYPE

Multi-pupose remover series including auto body parts

AMM591L



3PC MOLDING REMOVER TOOL

Including 2pcs wedges and door plank extractor for Benz (W140)

AMM703O



6PC TRIM MOLDING REMOVAL TOOL SET

Made in high class nylon and fibergrass for its toughness and durability

AMM1030D



DOOR UPHOLSTERY REMOVER

Quickly removes plastic fasteners from door panels

AMM291L



DOOR & WINDOW CLIP REMOVER/ INSTALLER

Works on GM, Ford and others using the common "C" type clip.

AMM331L



WINDOW MOLDING REMOVER

Your helper for Chrysler windows

AMM556L



[AMR930H](#)

[2PC FORD RADIO REMOVAL TOOL](#)

Makes radio removal quick, easy and damage-free



[AMR951O](#)

[RADIO REMOVAL TOOL KIT](#)

A pack of radio removal kit works on many kinds of brand name cars.



[WRG199L](#)

[ANTENNA MASTER WRENCH](#)

Removes all kinds of antenna safely and easily



[AMR955I](#)

[ANTENNA WRENCH & RADIO SERVICE SET](#)

Applied for GM, Ford, Chrysler, VW, Toyota & other.



[AMM350L](#)

[4" POWER- GRIP VACUUM SUCTION](#)

A practical way to put a handle on glass



[AMM311C](#)

[SUCTION LIFTER](#)

Strong power to hold any smooth surface including auto body-work panels and glass.



[AMM607L](#)

[CLIP REMOVAL PLIERS \(80°\)](#)

Easily remove clips fom car body as well as intrior pannel clips. Blade angle 80 degree type!



[AMM606L](#)

[CLIP REMOVAL PLIERS \(35°\)](#)

Easily remove clips fom car body as well as intrior pannel clips. Blade angle 35 degree type!



[AMM594L-1](#)

[CLIP REMOVAL PLIERS W/SLIDE JAW](#)

Remove door panel clips and moulding clips inside cars



[AMM605L](#)

[WINDSHIELD WIPER ARM REMOVER TOOL](#)

Removes wiper arms on a number of import and domestic cars with no hurting painted surfaces due to its protective pat cover on bottom jaw.



[AMM674I](#)

[PLASTIC WEDGE](#)

POM material for extra strength and flexibility.



[AMM676I](#)

[3 PC PLASTIC WEDGE SET](#)

POM material for extra strength and flexibility. 3PC in set.



[AMM312C](#)

[SUCTION LIFTER WITH THREE VACUUM CUP](#)

Hold the target firmly, using 3 vacuum cup together.



[AMM313L](#)

[SUCTION CUP KIT](#)

PC transparent material. Offered 2 PC per set.



[AMM314L](#)

[SUCTION CUP KIT](#)

ABS material. Offered 2 PC per set.



[AMM315L](#)

[ALUMINUM SUCTION CUP](#)

Aluminum alloy material applied on the body part. Design for light weight and easy to use.



[PLK270L](#)

[10-1/2" HEAVY DUTY LOCKING PLIERS W/ SWIVEL SHACKLE](#)



[PLK275L](#)

[PLUG WELD PLIER](#)



[AMM705L](#)

[AIR INFLATE FOR UNLOCK DOOR \(VEHICLE\)](#)

For unlocking vehicle door



[AMM706O](#)

[INFLATABLE HAND PUMPER WITH 3PC INFLATABLE PADS](#)

Set includes 3 pc inflatable pads plus 1pc hand pumper



[AMM215O](#)

[EURO DOOR HINGE / HANDLE TOOL KIT](#)

This tool kit include torx driver, T-handle torx driver, and long arm ratchet wrench with 5 pc bits.



WINDSCREEN WIPER ARM REMOVAL TOOL

Removal tool for windscreen wiper arm with easy use.

AMM595L



5PC MIGHTY MIDGET PANEL CLAMP

Must-tool for automotive-body repair professional

AMM295D



SELF-LOCKING MULTI-GRIP PLIER WIDE FLAT JAWS

Heat treated iron applied.

AMR1050L



SELF-LOCKING MULTI-GRIP PLIER DOUBLE CURVED JAWS

Heat treated iron applied.

AMR1051L



SELF-LOCKING MULTI-GRIP PLIER WIDE CURVED JAWS

Heat treated iron applied.

AMR1052L



SELF-LOCKING MULTI-GRIP PLIER WIDE ANGLED JAWS

Heat treated iron applied.

AMR1053L



SELF-LOCKING MULTI-GRIP PLIER STRAIGHT JAWS

Heat treated iron applied.

AMR1054L



SELF-TIGHTENING CLAMPS (2" JAW - 6 TON)

SCM440 material applied

AMM785C



SELF-TIGHTENING CLAMPS (1-1/2" JAW - 5 TON)

SCM440 material applied

AMM786C



WIPER-ARM PULLER SET

Universal puller set. Mostly suitable for VW-AUDI, BMW, FORD, MERCEDEZ, OPEL, PEUGEPT, etc.

PUS305R



WINDSHEILD REMOVER FOR TRUCK

Most common 18mm size to remove Truck windsheild.
SCM440 material + black oxiided finish.

AMM296R-18mm



[AMB036L](#)

WIPER PULLER

4" long & HRB 50 degree. Easy use in pulling the wiper on most of imported and domestic car.



[MET550R](#)

COATING THICKNESS GAUGE GUN

CE approved product. Responce time is only 1 second to check the thickness of coating. A number of function installed.



[AMM780R](#)

SMALL MOUTH PULL CLAMP (SINGLE WAY)

Single way pull operation. Capacity 5 ton. Bolt size Ø16mm x 70mm (L)



[AMM781R](#)

SMALL MOUTH PULL CLAMP (TWO WAY)

Two way pull operation. Capacity 5 ton for straight way) and 2 ton for cross way. Bolt size Ø16mm x 70mm (L)



[AMM782R](#)

BOX CALMP (SINGLE WAY)

Single way pull operation. Capacity 3 ton. Bolt size Ø14mm x 110mm (L)



[AMM783R](#)

LONG NOSE CLAMP

Single way pull operation. Capacity 2 ton. Bolt size Ø14mm x 73mm (L)



[AMM784R](#)

MINI CLAMP (TWO WAY)

Two way pull operation. Capacity 3 ton for straight way) and 2 ton for cross way. Bolt size Ø14mm x 45mm (L)












[AMM1045H](#)

2PC 6" MAGNETIC EDGE PROTECTOR

Very efficient way to protect body panel edges from sanding, grinding, or painting.

Top Selling Electrical & Auto Diagnostic Tools:

Electrical and automotive diagnostic tools and test equipment we supply include essential testers for circuits, battery, spark plugs, ignition, and more. All of our products are made to our strict quality control management that meets ISO standards.

Item	Auto Tool Description
 MET350L	<u>ALL-WEATHER WATER-RESISTANT TESTER</u> AC Voltage test, non-contact method, DC Voltage test, & polarity test.
 MET018L	<u>COMPUTER SAFE CIRCUIT TESTER</u> Safely tests standard primary automotive circuits and onboard computer-controlled electrical systems w/o damaging the microprocessor.
 MET021L	<u>CIRCUIT SOUNDER</u> Perfect for use under bright light or within confined areas
 MET026L	<u>CONTINUITY TESTER</u> Self-powered by AA1.5 volt batter & extra long 48" leads
 MET031L	<u>HEAVY DUTY CIRCUIT TESTER</u> 5' cord allow you to reach locations under the dash and in the engine compartment.
 MET032L	<u>LED CIRCUIT TESTER</u> It clearly shows whether a particular circuit is grounded, hot or high impedance.
 MET040L	<u>HEAVY DUTY SOLENOID VOLTAGE/ CONTINUITY TESTER</u> Tests voltage from 6 to 600V
 MET114L	<u>IN-LINE IGNITION SPARK TESTER</u> Essential for trouble shooting all internal combustion engines.
 AMM003L	<u>PLASTIC CASE BATTERY TERMINAL BRUSH</u> This brush can fit all terminal & post. Plastic type.



[AMM005B](#)

[METAL CASE BATTERY TERMINAL BRUSH](#)

This brush can fit all terminal & post. Metal type.



[MET249L](#)

[AUTOMOTIVE MULTI-TESTER](#)

6 LED indicators to show battery charge situation & high or output of alternator.



[MET350L-1](#)

[MULTI FUNCTIONAL TESTER](#)

Checks 110-600V AC.



[MET400L](#)

[BRAKE FLUID TESTER](#)

Self-powered by A3 battery to allow you distant limit free.



[MET050B](#)

[4PC HOME & AUTO TESTER KIT](#)

Complete set of testers to perform multiple functions



[AMB023L](#)

[SPARK GAP TESTER](#)

Works hands-free and can be used as a troubleshooting tool for road tests



[MET270L](#)

[AMPERAGE TESTER](#)

Its 60 AMP capacity provides a range capable of testing all popular automotive D.C. electrical components.



[MET351C](#)

[BATTERY LOAD TESTER](#)

Meter reaction after 10 second of load.



[AMR760E](#)

[DELUXE NOID SET IAC SIGNAL TESTER](#)

Its provides direction to the idle air-control motor on GM vehicles.



[AMR761I](#)

[12PC DELUXE NOID LITE/IAC TEST KIT](#)

This is a complete set with all the most useful noid lite plus 4" cable. Moreover, it includes spark tester which helps you to identify dead spark.



[AMB020L](#)

[TERMINAL PLIERS](#)

Opens terminal easily for even fit over battery post.



[AMR583L-D](#)

[HEAVY DUTY SPARK PLUG BOOT PLIERS](#)

Opens terminal easily for even fit over battery post.



[AMR264L](#)

[BATTERY TERMINAL SPREADER AND CLEANER](#)

Opens terminal easily for even fit over battery post.



[AMB035L](#)

[BATTERY TERMINAL / ALTERNATOR BEARING PULLER](#)

The sharp jaws are able to lift off battery case or posts without damage.



[AMB022L](#)

[REMOTE STARTER SWITCH](#)

Keep leads clear of fan blades, belts and all moving parts



[AMR198E](#)

[I.C. MECHANIC'S STETHOSCOPE](#)

Keep leads clear of fan blades, belts and all moving parts



[MEI044C](#)

[8 IN 1 INTERCHANGEABLE INSPECTION MIRROR & MAGNET SET](#)

Easy inspection tools for professionals



[AMM675E](#)

[PRO. UNIVERSAL LINE KIT](#)

Universal line kit with multi-function.



[AMR720L](#)

[CODE RETRIEVER FOR GM](#)

Suitable for GM



[MET510C](#)

[400A AUTORANGING AC CLAMP ON METER](#)

Many function available: auto range, auto power off, high speed paragraph, data hold, range hold...etc. Test range-ACV, ACA, DCV, Ω , FREQUENCY, CONTINUITY.



[MET511C](#)

[400A AUTORANGING AC/DC CLAMP ON METER](#)

Many function available: auto range, auto power off, high speed paragraph, data hold, range hold...etc. Test range-ACV, ACA, DCV, DCA, Ω , FREQUENCY, CONTINUITY.



[MET512C](#)

[600A AUTORANGING AC CLAMP ON METER](#)

Many function available: auto range, auto power off, high speed paragraph, data hold, range hold...etc. Test range-ACV, ACA, Ω , CONTINUITY.



[MEG210B](#)

[POCKET SLIM DIGITAL MULTIMETER](#)

Auto range, auto power off, max / data hold...etc. Test range - DCV, ACV, Ω , CONTINUITY. SIZE: 110 x 56 x 11.5 mm; NET WEIGHT: approx. 96g (including batteries)



[MEG211L](#)

[DIGITAL MULTIMETER](#)

Auto range, auto power off, max / data hold...etc. Test range - DCV, ACV, Ω , CONTINUITY. SIZE: 121 x 68 x 20 mm; NET WEIGHT: approx. 96g (including batteries 56 x 11.5 mm)



[MET550R](#)

[COATING THICKNESS GAUGE GUN](#)

CE approved product. Responce time is only 1 second to check the thickness of coating. A number of function installed.



[MET551L](#)

[INFRARED THERMOMETER WITH LASER MARK FUNCTON](#)

CE approved product. Auto data hold function, auto power off function, and many other function installed.



[AMM326L](#)

[AUTO COMPUTER MEMORY UNIT](#)

Maintaining the memory of car radios, clocks, and computer fnctions when battery is disconnected. Up to 4hours can retain settings.



[AMM587A](#)

[BATTERY CARRYING STRAP](#)

Carries top mounted and side mounted terminal batteries. Strap is 14" long.



[AMA0200](#)

[400AMP BOOSTER CABLE](#)

3m (10') length. Cable diamerter 10mm.



150AMP BOOSTER CABLE

2.5m (8') length. Cable diameter 9mm.

AMA0070



BATTERY CLAMP

120 amp battery calamp (European type). Also, available for 500Amp (part#: AMA025A).

AMA021A



BATTERY CLAMP

400 amp battery clamp.

AMA022A



BATTERY CLAMP

400 amp battery clamp (US type)

AMA023A











BATTERY CLAMP

500 amp battery clamp.

AMA024A

Quality OEM Auto Engine Repair Tools:

ENGINE repair tools we offer a comprehensive collection of high quality engine repair, maintenance and tuning tools. You will find a range of tools designed to get the job done with minimum risk of damaging your engine parts while you work. We provide manufacturer services with OEM capabilities allowing you to customize tools.

Item	Tool Description
 AMR630E	15PC CUP TYPE OIL FILTER WRENCH SET The cup holds the oil filter tightly like a socket to prevent breaking of the filter.
 AMR978I	16PC CUP TYPE OIL FILTER WRENCH SET These cup-type filters are made of 7 & 16 gauge construction.
 WRF026L	OIL FILTER WRENCH The head of the wrench is adjustable and movable. Moreover, we provide you 3 other wrenches to work on different sizes of oil filter.
 WRF213L	HEAVY DUTY TRUCK OIL FILTER WRENCH Use with 1/2" square drive tool. 105mm to 120mm capacity. Also, other sizes are available.
 WRF216L	HEAVY DUTY TRUCK OIL FILTER WRENCH (BLACK CAOTING VERSION) 3 sizes are available at Chain. Sizes range are slightly different from WRF213L, WRF 214L, and WRF215L
 WRF038L	TRUCK AND TRACTOR OIL FILTER WRENCH, HEAVY DUTY TYPE 4" to 4-3/8" capacity. Heavy duty wrench for most of trucks
 WRF060L-B	THREE LEG OIL FILTER WRENCH Removes all oil filters from 1-1/2" to 4-3/4" in diameter.
 WRF153L-ADJ	ADJUSTABLE OIL FILTER PLIER Removes all oil filters up to 12".



[WRF168D](#)

[ADJUSTABLE OIL FILTER PLIERS HEAVY DUTY](#)

Slip-joint ratchet and lock mechanism allows a secure grip on filter ranging from 3-3/4" to 7" in diameter.



[WRF169D](#)

[ADJUSTABLE OIL FILTER PLIER SET, HEAVY DUTY](#)

Slip-joint ratchet and lock mechanism allows a secure grip on filter ranging from 2-1/4" to 5 " in diameter.



[WRF170D](#)

[2PC ADJUSTABLE OIL FILTER PLIER SET, HEAVY DUTY](#)

Slip-joint ratchet and lock mechanism allows a secure grip on filter from 2-1/4" to 5 " / from 3-3/4" to 7" in diameter.



[AMM550L](#)

[PULLEY REMOVING WRENCH](#)

Ideal for removing and assembling any type of grooved pulley for POLY V-BELT..



[AMR597L](#)

[3 PCS HOSE PINCH-OFF PLIER SET](#)

A comprehensive specialised tool kit covering most popular carburetor and fuel injection systems.



[CLZ301L](#)

[3 PCS FLEXIBLE LINE CLAMP SET](#)

Special-radius jaws will not damage internal hose linings. Moreover, it is light and non-conductive.



[AMR269L](#)

[HOSE CLAMP PLIERS W/O JAWS](#)

Remove and installs new style flat band hose clamps.



[AMR580L](#)

[SPARK PLUG & VALVE STEM SEAM RING PLIERS](#)

Long neck designed to reach into confined area of the seal to grip it for removal.



[SSA060C](#)

[WATER PUMP SOCKET](#)

Varied size of sockets are available.



[AMR154I](#)

[7PC OXYGEN SENSOR SWITCH SOCKET SET](#)

7pc sockets set allow you to work on varied kind of vehicles.



[SSA151L](#)

[OIL PRESSURE SENDING UNIT SOCKET](#)

Two-step design can fit 1" and 1-1/16" oil pressure sending units..



OIL PRESSURE SENDING UNIT

For late model GM's with oil pressure gauges.

SSA152L-1



VACUUM SWITCH SOCKET

Remove and installs oxygen sensors easily.

SSA202L



VALVE SPRING COMPRESSOR

Easy of use in areas of difficult access.

AMR032V



PISTON RING COMPRESSOR

Ratchet type complete with Hex spanner. Various size are available


AMR066C



6-1/2" PISTON RING COMPRESSOR (STAINLESS STEEL)

Piston ring compressor for most of trucks and tractors. Capacity from 3-1/2" (90mm) to 7" (175mm).

AMR071C



DIESEL ENGINE COMPRESSION TESTER SET

Unique swivel end quick coupler allows the operator to connect the adapters quickly and easily.

AMR778C



13PC DIESEL ENGINE SETTING & LOCKING KIT

Specialist tools for locking position of crankshaft and camshaft.

AMM405C



12PC ENGINE TIMING SET

The crankshaft damper and damper bolt are both secured with locking compound.

AMR946C



9 PCS CARBURETOR TUNING SET

A comprehensive specialised tool kit covering most popular carburetor and fuel injection systems.

AMR376C



SERPENTINE BELT TOOL

Extension bar allows you to reach varied angle and far area.

AMR308E



12PC DRAIN PLUG KEY SET

Hex and square type of drain plug including 1pc T-bar.

AMM070E



[PLN025L-H](#)

4 IN 1 E-RING TOOL SET

2-side pat design can let you easily remove and insert the E-RING.



[AMR255L](#)

FLYWHEEL TURNER

Ideal for mechanics & DIY user to use the crankshaft to be in a specific position.



[AMM081L-H](#)

CV BANDING TOOL WITH CUTTER

Tool is easily removed by sliding sideways after winding has been completed.



[AMR985L-1](#)

CALIBRATED IGNITION TESTERS

Use to accurately check for spark in ignition systems without removing spark plug from engine.



[AMM155L](#)

ENGINE CHAIN LIFT

For easy removal of car and truck engines and other heavy units from chassis.



[AMM252L](#)

MOTORO ANGULAR TORQUE GAUGE

For the fasteners used on vehicles, automotive manufacturers are specifying both torque and angle settings.



[AMM653L](#)

7PCS CUP ROCKET SET

This tool enable cups to be installed smoothly w/o scratching O-ring cylinders.



[AMR199L](#)

MECHANIC'S STETHOSCOPE

Provide a fast and easy way to locate noises in engines or bearings and other moving parts.



[AMR198E](#)

I.C. MECHANIC'S STETHOSCOPE

Keep leads clear of fan blades, belts and all moving parts



[DRX045L](#)

2PC HOSE REMOVER SET

Handle color is black and its material is P.P. Easy use for removing hose.



[WRF078E](#)

3PC OIL FILTER WRENCH SET

Oil filter wrench kit for major European vehicles



5PC OIL FILTER WRENCH SET (MAZDA TYPE)

Oil filter wrench kit for MAZDA car

WRF079I



BELT GAUGE

Suitable for AUDI, Ford, Opel, VW, etc...

AMM720L



V6 COMPLETE ENGINE SETTING/LOCKING TOOL KIT

Designed to cover both the locking of the quad CAMS and the crankshaght. Special timing gauge included.

AMM582V



CAMSHAFT & FLYWHEEL & LOCKING & HOLDING TOOL KIT

8 piece timing locking tool kit. Most of imported and domestic car can be applied.

AMM574E



ENGINE TIMING SPROCKET LOCKING DEVICE TOOL

Designed to lock twin camshafts for timing marks during the replacement of timing belt. One person can operate it.

AMM572L



UNIVERSAL TWIN/4 CAM LOCK TOOL (GAS & DIESEL ENGINES)

To fit various diameters and tooth pitch. Altsernative to AMM572L

AMM579L



18PCS 3/8" SQ. DR. MASTER DRAIN PLUG KEY SET

CR-V material applied. Including sliding T-bar handle. Comes with plastic case.

AMR1300E



ADJUSTABLE SPANNER WRENCH

This is ideal for adjusting pillow block bearings.

AMR356L







4PC FORD FAN CLUTCH WRENCH

AMM248E-1

OUR TOP SELLING GENERAL AUTO TOOLS:

Automotive GENERAL tools and equipment we supply many of professional tools that can be used widely in general. All of our products are made to our strict quality control management that meets ISO standards.

Item	Tool Description
 CUP351L	<u>RATCHET- ACTION PIPE CUTTER (1/4"-7/8")</u> Perfect for cutting copper brass aluminum tubing and thin-wall conduit up to 23mm
 CUP350L	<u>RATCHET- ACTION PIPE CUTTER (1/8"-1/2")</u> Perfect for cutting copper brass aluminum tubing and thin-wall conduit up to 13mm
 CUG251L	<u>"V" NOTCH PLIERS FOR CAULKING TUBE NOZZLES</u> For cutting the "V" into the rolled edge of sheet metal to form a radius without any buckle or distortion.
 PLN001D	<u>4 PC MINI SNAP RING PLIERS SET</u> Small size pliers for working in tight areas. All pliers have .038" (1.0 mm) diameter tips.
 PLN011B	<u>COMBINATION INTERNAL - EXTERNAL SANP RING PLIER SET</u> Jaws can be exchanged easily for 6 internal-external different purposes.
 PLN025L-H	<u>4 IN 1 E-RING TOOL SET</u> 2-side pat design can let you easily remove and insert the E-RING.
 AMR680E	<u>10-1/2" HEAVY-DUTY REPLACEABLE SET</u> The spring ratchet locking mechanism can hold circlip securely against tension.
 AMM391L	<u>CLICK-R COLLAR PLIERS</u> For releasing and re-fitting recycle hose clips.



[PMS025I](#)

[PROFESSIONAL FLARING TOOL SET](#)

We combine most popular flaring tools in one set for your convenient use.



[CPA025V](#)

[ALL GO CHISEL & PUNCH SET](#)

The design of the handle grip the bits tightly to protect user. 12 kinds of bit allow you to work on many situation. Patent in U.S.A & Japan



[CPA020C](#)

[16PC PUNCH & CHISEL SET](#)



[AMR618E](#)

[WATER PUMP PULLEY REMOVER/ INSTALLER](#)

Use on Cummins L10 and M11 diesel engines.



[AMR617E](#)

[POWER STEERING PUMP PULLEY KIT SET](#)

Everything you need to remove and install pulleys.



[AMM414E-1](#)

[HARMONIC DAMPER PULLEY PULLER](#)

It can repair the pulley without removing the radiator.



[AMR614E](#)

[FREEZE PLUG REMOVAL & INSTALLER KIT](#)

No need to remove head or manifold.



[AMR695E](#)

[CLUTCH SERVICE SET](#)

This set lets you perform a variety of clutch and flywheel service jobs on Spicer- Built heavy-duty cast and angle-spring clutches



[AMM576L](#)

[CHAIN PULLER](#)

Specially shaped narrow jaws are designed to fit in between chain links to enable the chain link to be removed or replaced.



[PUS241L](#)

[PITMAN ARM PULLER](#)

Works on a majority of cars and light trucks.



[AMM580E](#)

[FRONT END SERVICE SET](#)

Includes all the ball joint, tie rod, and pitman arm puller required for servicing most passenger car and commercial vehicles.



[AMR638V](#)

[4PCS STUD PULLER WRENCH](#)

It will not damage the stud.



[AMR644E](#)

[8PCS STUD PULLER WRENCH SET](#)

8pcs 1/2"DR.: 6mm, 8mm, 10mm, 12mm, 1/4", 5/16", 3/8", 7/16".



[SSR405I-MM](#)

[1/2" DR. 3PC THIN WALL DEEP SET](#)

Sizes: 17, 19, 21mm X 85mm (L).

Material: CR-M + Anodized Finish



[AMM565V](#)

[GASKET & HOLLOW PUNCH SET](#)

Storage in an attractive plastic box for protection and easy use.



[AMR640C](#)

[ETRIC BUSHING DRIVER SET](#)

Adaptors held on drivers with knurled nut and fits all remaining bushing.



[AMR671E](#)

[25PC MULTY-SPLINE EXTRACTOR SET](#)



[AMR674C](#)

[UNIVERSAL DRUM BRAKE TOOL KIT](#)

Contains 6 most popular drum brake tools: clearance, assemble pliers, brake spring pliers, brake spring compressor, brake piston clamps, and fluid hose clamp.



[AMM569I](#)

[UNIVERSAL LOCKING TOOL SET](#)

Suitable for installing, removing and tightening objects of any shape.



[AMR973E](#)

[9PC DISC BRAKE SERVICE TOOL SET](#)

General purpose brake service tool kit.



[AMR684E](#)

[SLIDE HAMMER PULLER SET \(9WAY\)](#)

The full range set includes internal/ external pulling jaws, rear axle puller jaws ... etc.



[AMR629C](#)

[UNIVERSAL VALVE REPAIR KIT](#)


This kit allow you to fax valve stem, spring, and collet easily.



[MI0083C](#)

[4PCS NUT SPLITTER](#)

Splits rusted hex nuts up to 1-1/16" (27mm) across the flats. Flat round head design allows tools to be used in inaccessible areas.



[AMR850E](#)

[ADJUSTABLE WHEEL BEARING LOCK NUT WRENCH](#)

Design features a locking mechanism to ensure jaws are rigid to prevent slipping on narrow lock nuts.



[PUS234E](#)

[BLIND HOLE BEARING PULLER SET](#)

Includes 8 pcs different size of attachments.



[AMR668L](#)

[UNIVERSAL NUT CRACKER](#)

Parallel action of pusher cracks nuts without damaging bolt threads.



[DRI071D](#)

[HEAVY DUTY IMPACT DRIVER W/8PC BITS](#)

New design with safety protective handle.



[ATI010C](#)

[1/2" DR. AIR IMPACT WRENCH](#)

The air impact wrench has twin hammer with high torque. It works in low noise.



[BDB971C](#)

[25PC SCREW EXTRACTOR/DRILL& GUIDE SET](#)

These screw extractors do not expand the screw while turning and their special design ensures a positive grip when driven into the drilled out hole.



[AMR945L](#)

[4PC DRIVE NUT SET](#)

Applied on VW Golf, Polo, Passat, Audi, Austin, Maestro.



[AMM514R](#)

[PNEUMATIC FLUID EXTRACTOR](#)

Extract within 3 Min. for 5 liter engine oil and also can be used on various kinds fluid.



[AMA124C](#)

[TRIPLE MAGNETIC TRAY](#)

Strong magnetic power to keep your tool. Can be used horizontally, vertically or upside down.



[DRB660L](#)

[2 PC SCREW REMOVER SET](#)

Removes damaged screw smoothly and prevents further damage.



[AMM106E](#)

[UNIVERSAL VALVE ADJUSTMENT TOOLS](#)

This universal valve adjustment tool has been designed for a wide variety of cars with 10mm, 12mm, 13mm, 1/2" & 9/16" jam nut valve adjustment screws.



[WRH8500](#)

[7PC RIBE KEY WRENCH SET](#)

M4, M5, M6, M7, M8, M9, M10



[BAA008D](#)

[4 PC PRY BAR SET](#)

Ideal for prying cylinder heads, manifolds, transmission cases and drive line components.



[BAA030D](#)

[4 UNI-PRY BAR 50cm/ 20"](#)

5 angles for turning & setting straight according to your need.



[DRX290V](#)

[7 PC UNIVERSAL HOOK & PICK SET](#)

Usage for punching, marking, and lineup work, especially works for separating wires.



[DRY201C](#)

[STUD REMOVER](#)

Compact and powerful remover which is made of heat-treated high grade Alloy Steel in order to loosen hard to turn studs.



[MEL250D](#)

[PROFESSIONAL LEVEL FOR ELECTRICAL CONTRACTOR](#)

3 x precision vials including 30° vial for easy 2 to 1 offset.



[MEL251D](#)

[PROFESSIONAL PRECISION TORPEDO LEVEL](#)

4 x precision vials including 30° vial for easy 2 to 1 offset.



[PLN040I](#)

[11 PC SNAP RING PLIER SET](#)

Operate both internal and external rings. CR-Mo steel, heat-treated. Comfortable insulated vinyl handles.



[AMR989E](#)

[UNIVERSAL OUTSIDE THREAD CHASER](#)

Working capacity: 1-1/4" - 5" OD.



[SSR751I](#)

[1/2" DR. 11PC THIN WALL DEEP IMPACT SOCKET SET](#)

Sizes: 17, 19, 21, 22, 23, 3/4", 13/16", 7/8", 15/16", 1" 1-1/6" X 85mm (L).

Material: CR-MO



[AMR280L](#)

[HOSE CLAMP PLIER](#)

Releasing and re-fitting re-usable hoseclips. Enable to close and open hose clips with much ease and quickness than ever. It help to save labor cost greatly.



[MEI044C](#)

[8 IN 1 INTERCHANGEABLE INSPECTION MIRROR & MAGNET SET](#)

Easy inspection tools for professionals



[PMB046V](#)

[MULTI SIZE TUBE BENDER](#)

Professional tube bender kit including reamer and tubing cutter



[AMR713L](#)

[HEAVY DUTY UNIVERSAL NUT CRACKER](#)

Parallel action of pusher cracks nuts without damaging bolt threads



[HOT110C](#)

[MAGNETIC TOOL HOLDER](#)

Hold up to 20LBS of users' tools on this holder. Easy-use function



[PLK300L](#)

[LOCKING CHAIN CLAMP WITH 9" CHAIN](#)

Heat treated steel material for heavy use. 720g as net weight and 470mm length



[SSS1000I](#)

[18PCS TWIST BIT SOCKET & LOCKING NUT SOCKET](#)

8PCS 1/2" DR TWIST BIT: 40 mm (L) 2-3-4-6 & 75mm (L) 8-10-12-14 ;9PCS 1/2" DR LOCKING NUT SOCKET: 10-11-12-13-14-15-16-17-19 mm



[SSB193I](#)

[9PCS HEX SOCKET SET](#)

75mm length. Size: 4-5-6-8-10-12-14-17-19mm



[SSB492I-M](#)

[9PCS SPLINE \(12 POINTS\) SOCKET SET](#)

75mm length. Size: 5-6-7-8-9-10-12-13-14mm



[SSB492I-R](#)

[9PCS RIBE SOCKET SET](#)

75mm length. Size: 5-6-7-8-9-10-12-13-14mm



[SSB492I-T](#)

[9PCS STAR SOCKET SET](#)

75mm length. Size: T20, 25, 27, 30, 40, 45, 50, 55, 60



[BDB070I](#)

[7PCS BOLT TWIST SHANK](#)

35mm length. 13mm x 35 mm #2, 3, 4, 6; 17mm x 35mm #8, 10, 12



[AMM795A-HDL](#)

[1/2" SQUARE DR. RATCHET HANDLE](#)

Chrome Vanadium material applied w/ chrome plated finish. 272mm long. Double end for insert socket / wrench



[AMM795A-WRH](#)

[1/2" DR. STEP WRENCH \(for valve nipples\)](#)

SIZE: 3/8" (9.6mm) - 29/64" (11.6mm) - 31/64" (12.3mm) - 21/32" (16.4mm) - 53/64" (21.04mm). Step wrench for valve nipples.



[SSS460A](#)

[6PC 1/2" DR. SOCKET BIT SET](#)

RIBE bit size: 8, 10, & 12 x 140mm long
TORX bit size: T50, T55, & T70 x 140mm long



[SSR160V](#)

[5PC 1/2" DR. EXTENSION BAR SET](#)

Extension bar for 1/2" drive square impact socket. CR-MO material used. The center indicator line on the bar for keeping away from over torque.



[SSR740L](#)

[90 DEGREE SOCKET ADAPTER](#)

Body material is applied for 50BV30 and bar material for #6150. Your OEM idea for socket adapter is welcome.



[SSR741L](#)

[45 DEGREE SOCKET ADAPTER](#)

Body material is applied for 50BV30 and bar material for #6150. Your OEM idea for socket adapter is welcome.



[PUG002C](#)

[GEAR PULLER \(4"\)](#)

Drop forged chrome vanadium steel for extra strength and durability. The puller can be used for 2 Jaw Type, 3 Jaw Type, and internal pulling way. 4" capacity type.



[PUG003C](#)

[GEAR PULLER \(7"\)](#)

Drop forged chrome vanadium steel for extra strength and durability. The puller can be used for 2 Jaw Type, 3 Jaw Type, and internal pulling way. 7" capacity type.



[WRG135E](#)

[GRATCHET OPENING SINGLE ENDED BI-HEX WRENCHES](#)

6pc wrench included in this tool kit. Size: 10, 12, 13, 17, 19, and 22 mm. Works for narrow place and directly use on the tube.



[DRX035L](#)

[HOOK AND PICK SET](#)

Includes straight tip, 90 degree tip, hook tip, combination tip, magnetic pick up stick, storage compartment in handle



[SSR861A-3/8"](#)

[3/8" DR. 72T QUCIK RELEASE STUBBY RATCHET HANDLE](#)

PP + TPR material applied for light weight purpose. Absolutely high torque wrench!



[SSR860A-1/4"](#)

[1/4" DR. 72T QUICK RELEASE RATCHET HANDLE](#)

PP + TPR material applied for light weight purpose. Absolutely high torque wrench!



[SSR860A-3/8"](#)

[3/8" DR. 72T QUICK RELEASE RATCHET HANDLE](#)

PP + TPR material applied for light weight purpose. Absolutely high torque wrench!



[SSR860A-1/2"](#)

[1/2" DR. 72T QUICK RELEASE RATCHET HANDLE](#)

PP + TPR material applied for light weight purpose. Absolutely high torque wrench!



[AMR1140E](#)

[INSIDE / OUTSIDE PULLER KIT](#)

SCM440 & S45C material applied for its strength and durability.



[DRX045L](#)

[2PC HOSE REMOVER SET](#)

Handle color is black and its material is P.P. Easy use for removing hose.



[DRX0190](#)

[4PC HOOK AND PICK SET](#)

This pick tools kit come with pouch for easy storage



[DRX040L](#)

[2PC O-RING PICK SET](#)

Easy to use for O-RING. 4 tps of different brade shapes



[PUG004C-CRV](#)

[2-JAW GEAR PULLER JAPAN TYPE](#)

2 jaw gear puller. Chrome vanadium applied for extra strength and toughness. 7 sizes are available



[PUG084C-CRV](#)

[3-JAW GEAR PULLER JAPAN TYPE](#)

3 jaws gear puller. Chrome vanadium applied for extra strength and toughness. 7 sizes are available



[AM580E](#)

[FRONT END SERVICE SET](#)

Includes all the ball joint, tie rod and pitman arm pullers required for servicing most passenger car and commercial vehicles.



[CLZ009C](#)

[10PC SPRING CLAMP SET W/ TWO COLOR GRIP](#)

Four size of clamps are included - 4pcs for 3", 2pcs for 4", 2pcs for 6", and 2pcs for 9". Nylon with fibergrass material applied.



[CLZ160D](#)

[20PC MINI SPRING CLAMP SET](#)

Four color included in this clamp set - 5pcs for yellow, 5pcs for red, 5pcs for blue, and 5pcs for black. ABS material applied.



[SSA276A](#)

[5.0mm PRY SOCKET BIT](#)

1/2" DR. x 60mm (L). 5.0mm breadth. Ply Width 7.0mm.



[SSA277A-100mm](#)

[H7 SPECIAL SOCKET BIT](#)

1/2" DR. x H7 x 100mm (L)



[SSA277A-140mm](#)

[H7 SPSCIAL SOCKET BIT](#)

1/2" DR. x H7 x 140mm (L)












[BDB146E](#)

[40PC 3/8" & 1/2" DR. PROFESSIONAL BITS SET](#)

Bits including star, spline, hexagon, etc. Also, adapter come with this bits set.

Efficient Storage of Automotive Tools

Tool storage equipment we manufacture provides efficient solutions to all storage requirements of the automotive industry. We offer tool cabinets, chests and other innovative storage equipment that meets ISO standards and is supplied to customers all over the world.

Item	Storage Equipment Description
 HOT110C	MAGNETIC TOOL HOLDER Hold up to 20LBS of users' tools on this holder. Easy-use function
 HOT111R	MAGNETIC TOOL HOLDER, 470MM 470 x 21 x 21 mm. Including screws for the purpose of mounting this holder on the wall. Quality magnet hold tools securely.
 HOT020R	24" MAGNETIC TOOL HOLDER WITH HOOK Electro-deposition black finish and yellow fram. 24" long
 HOT021R	13" MAGNETIC TOOL HOLDER WITH HOOK Electro-deposition black finish and yellow fram. 13 " long
 HOT003C	STRONG MAGNETICK RACK FOR TOOLS 364mm long. Quality magnet applied. Can be mounted on the wall with screws included.
 AMA102C	MAGNETIZED COLLECTOR (TRAY) 6" dia. x 1.6" (H). Strong magnetic power to keep your tool. Can be used horizontally, vertically or upside down.
 AMA109L	MAGNETIZED COLLECTOR (TRAY) 4.3" dia. x 1.3" (H). Strong magnetic power to keep your tool. Can be used horizontally, vertically or upside down.
 AMA117C	MAGNETIZED COLLECTOR (TRAY) 9.5" x 5.59" X 1.7" (H). Strong magnetic power to keep your tool. Can be used horizontally, vertically or upside down.
 AMA124C	MAGNETIZED COLLECTOR (TRAY) 14" x 6" x 1-1/2" (H). Strong magnetic power to keep your tool. Can be used horizontally, vertically or upside down.



[AMA125C](#)

SUPER-4 MAGNETIZED COLLECTOR (TRAY)

10-5/8" x 11-1/2" X 1-1/4" (H). Strong magnetic power to keep your tool. Can be used horizontally, vertically or upside down.



[AMA126C](#)

PLASTIC MAGNETIC TRAY (ROUND)

Durable ABS plastic material applied. Ø149 x 27(H)mm (Ø5-3/4" x 1-1/16"). Can be used this tray in any position - horizontal, vertical or even upside down thanks to its quality magnet.



[AMA127C](#)

PLASTIC MAGNETIC TRAY (SQUARE TYPE)

Durable ABS plastic material applied. 240 x 142 x 42.5(H)mm (9-1/2" x 5-1/2" x 1-5/8"). You can use this tray in any position like horizontal vertical or even upside down thanks to its quality magnet.



[HOW012R](#)

TOOL HOLDER WITH TWO MAGNETIC PAD

Powerful magnet to hold impact wrenches & their sockets. Can be put on tool cabinet, chests, etc. Quality steel body increase its durability and toughness.



[HOW011R](#)

TOOL HOLDER WITH SINGLE MAGNETIC PAD

Powerful magnet to hold air / power tools such as impact wrenches & their sockets. Can be put on tool cabinet, chests, etc. Quality steel body increase its durability and toughness.



[HOW010R](#)

SIMPLE TOOL HOLDER WITH SINGLE MAGNETIC PAD

Powerful magnet to hold air / power tools such as impact wrenches. Can be put on tool cabinet, chests, etc. Quality steel body increase its durability and toughness.



[HOW014R](#)

ECONOMICAL MAGNETIC TOOL HOLDER

Quality magnet to hold air / power tools such as impact wrenches. Can be put on tool cabinet, chests, etc. Also, with screws, you can mount this holder on wall.



[HOS035H](#)

3PC SOCKET HOLDER SET

All the socket with 1/4" DR, 3/8" DR, and 1/2" DR can be stored on this holder. Easy to distinguish by different color--blue for 1/4" DR, yellow for 3/8" DR, and red for 1/2".



[HOS031H](#)

1/4" DR. SOCKET HOLDER

Socket with 1/4" DR can be stored on this holder.



3/8" DR. SOCKET HOLDER

HOS032H

Socket with 3/8 " DR can be stored on this holder.



1/2" DR. SOCKET HOLDER

HOS033H

Socket with 1/2" DR can be stored on this holder.



1/4" DR SOCKET ORGANIZER

HOS028A


16-1/4" long & 1/4" DR. socket can be stored.



1/4" DR. MAGNETIC SOCKET HOLDER SET

HOS027R


200mm long and 10pc 1/4" sockets can be stored.



80PC SOCKET TRAY RACK

HOS122I

430mm long. 1/4", 3/8", and 1/2" DR. sockets can be stored.



40PC SOCKET TRAY RACK

HOS121I

218mm long. 1/4", 3/8", and 1/2" DR. sockets can be stored.



3 WAY SOCKET TRAY RACK

HOS120R

430mm long. 1/4", 3/8", and 1/2" DR. sockets can be stored.
Including bits holder.












BIT HOLDER

HOS001A

Holded up to 20bits as maximum. PP material applied.

OUR TOP SELLING UNDER CAR TOOLS:

Automotive UNDER CAR tools and equipment we supply many of professional tools for under car category. All of our products are made to our strict quality control management that meets ISO standards.

Item	Tool Description
 AMR174E	7PC UNIVERSAL HOSE CLAMP PLIER SET Allow for extra reach, removal & locking of clamps into open position
 AMR273L-1	FLEXIBLE HOSE CLAMP Ideal for removal of hose clamps in hard to reach places, with a long extended cable.
 AMR273L-2	BRAKE SHOE SPREADER PLIERS Allows user to replace the brake wheel cylinder without removing return spring, brake shoe, and other parts.
 AMR661L	DRUM BRAKE SPRING PLIER Design to remove the brake return spring.
 AMR665L	DRUM BRAKE SPRING PLIER Use for 2 brake return spring system.
 AMR669O	BRAKE SPRING PLIER & CLAW Design to removing and replacing brake springs of drum type brake.
 AMR795D1	MASTER MacPHERSON STRUT TOOL Threaded rod and built-in detent latches to help lock coil in place
 AMR006L	COIL SPRING COMPRESSOR Remove and install automotive coil springs quickly
 AMM374E	UNIVERSAL STRUT SPRING SPRING COMPRESSOR This tool fits a wide range of struts without the inconvenience of special adapter shoes.



[AMR106E](#)

[INNER TIE ROD REMOVAL SET](#)

Allows removal and installation of inner tie rods without removing the steering gear.



[AMR1001E](#)

[MERCEDES REAR AXLES BUSH REMOVER/ INSTALLER](#)

By this tool, you can protect the new replacement and the rear axels last longer.



[AMR1003E](#)

[BMW \(E36, E46\) REAR AXLES BUSH REMOVER/ INSTALLER](#)

Removal and replacement tool for metallic bushes on rear axles.



[AMR626E](#)

[3PC REAR AXLE BEARING REMOVER SET](#)

Each of these pullers makes short work of repairing semi-floating rear axle bearings.



[AMR1032E](#)

[VW T4 FRONT UPPER BALL-JOINT EXTRACTOR/ INSTALLER](#)

No need to dismantle the upper wishbone by using this tool.



[AMR1036E](#)

[MERCEDES \(W220\) SEAL TOP AIR SUSPENSION STRUT](#)

Removal and replacement tool for Mercedes W220 seal top on its air suspension.



[AMR415L](#)

[BRAKE SPRING TOOL](#)

For use on brake systems that don't use anchor pins.



[AMR450L](#)

[DISC BRAKE PISTON REMOVER](#)


This tool will function on most European, Ford, Chrysler, and some GM models.



[AMR790I-BL](#)

[8-PIECE BRAKE TOOL SET](#)

Contains the most popular brake tools used for servicing drum brakes on many import and domestic vehicles.



[AMR677C](#)

[UNIVERSAL DISC BRAKE WIND-BACK SET](#)

Provides multiple assembly method to meet varied brake repairing condition.



[AMM241L](#)

[CLUTCH ALIGNMENT TOOL](#)

Faster, easier replacement of clutches.



[AMM428L](#)

[UNIVERSAL PULLEY HOLDER & FAN LUTCH SET](#)

Can adjust different width from 40mm to 220mm.



[AMR418L](#)

[RETAINER SPRING TOOL](#)

Fits both large & small brake spring washers.



[AMR401L](#)

[SEAL PULLER](#)

Quickly and safely removes oil and grease seals



[PUS250D](#)

[TRUCK PITMAN ARM PULLER](#)

Suitable for most cars and light trucks.



[AMR137L](#)

[SPECIAL STEERING WHEEL PULLER](#)

This tool is for the removal of steering wheels on GM Vauxhall/ Ople make of cars.



[AMR1031E](#)

[UNIVERSAL CRANKSHAFT PULLEY & CAMSHAFT PULLEY PULLING AID](#)

This is an universal and ON CAR tool set.



[PUS240L](#)

[STEERING WHEEL LOCK PLATE PULLER](#)

Fits all U.S. domestic lock plates including tilt and telescoping columns.



[AMR265E](#)

[5PC FRONT END FORK SET](#)

Multipurpose tapered wedge will easily remove pitman arms, camber adjustment sleeves, tie rod ends, etc.



[AMM678I](#)

[7PC CAR FAN SERVICE WRENCH](#)

High class car needs a set of special and smooth tool.



[AMR634C](#)

[BEARING RACE AND SEAL DRIVER SET](#)

This master set includes 9 disc sizes to fit most standard wheel bearings.



[SSA011E](#)

[1" DRIVE 5PCS BUDD WHEEL SOCKET SET](#)

The extra deep design lets you remove both nut and stud with just the one socket.



[SSA010E](#)

[1/2" DRIVE 7PCS WHEEL BEARING LOC NUT SET](#)



[AMM665I](#)

[1PC MAGNETIC CAMBER GAUGE](#)

Return a strut to its original camber after repair or replacement.



[AMM081L-H](#)

[CV BANDING TOOL WITH CUTTER](#)

Tool is easily removed by sliding sideways after winding has been completed.



[AMR675L](#)

[MERCEDES TYPE C.V. BOOT HOSE CLAMP CUTTER](#)

Avoid to harm C.V. boot.



[AMR599L-1](#)

[BRAKE CV JOINT BOOT CLAMP PLIERS](#)

For use on eared clamps.



[AMR1006R](#)

[ADJUSTABLE UNIVERSAL CAMSHAFT WRENCH](#)

The wrench is designed with grooved pins to hold the camshaft pulley stationary while loosening and tightening the center shaft bolt



[AMR1060D-N](#)

[SHIM STYLE VALVE ADJUSTING SET FOR NISSAN](#)

For overhead camshaft engines using spacer shims.



[AMR1060D-T](#)

[SHIM STYLE VALVE ADJUSTING SET FOR TOYOTA](#)

For overhead camshaft engines using spacer shims.



[AMR1130I](#)

[AIR POWERED BRAKE CALIPER WIND BACK TOOL SET](#)

Caliper wind back tools that operated by air!



[AMR678I](#)

[18 PC UNIVERSAL CALIPER WIND BACK TOOL KIT](#)

Manual caliper wind back tools. Universal kit.



[AMM302E](#)

[BALL JOINT REMOVER / INSTALLATION TOOL SET](#)

Quickly & easily remove & install ball joint



[AMM297C-18mm](#)

[BALL JOINT EXTRACTOR](#)

5 size available. Body material and its center screw blade of this extractor is SCM440 for its toughness and durability.



[AM580E](#)

[FRONT END SERVICE SET](#)

Includes all the ball joint, tie rod and pitman arm pullers required for servicing most passenger car and commercial vehicles.



[AMR849E](#)

[ADJUSTABLE WHEEL BEARING LOCK NUT WRENCH](#)

Works for larger vehicle. Including lock nuts, 6pc pin, 1 pc adapter plus carrying case.



[PUG200E](#)

[BEARING INSIDE PULLER](#)

Spread range is from Ø32 to Ø70 mm. Including 15pc spreaders.



[AMR674C](#)

[UNIVERSAL DRUM BRAKE TOOL KIT](#)

Contains 6 most popular drum brake tools: clearance, assemble pliers, brake spring pliers, brake spring compressor, brake piston clamps, and fluid hose clamp.



[AMR973E](#)

[9PC DISC BRAKE SERVICE TOOL SET](#)

General purpose brake service tool kit.



[AMR020L](#)

[BRAKE CYLINDER RETAINER REMOVER](#)

Applying for GM X & J Body cars.



[AMR144L](#)

[BRAKE SLACK CHECK TOOL](#)

To check the brake adjustment on major trucks / trailers with S-cam braking systems



[AMR435L](#)

[DISC BRAKE PAD SPREADER](#)

For installing pads on most domestic and import cars including light trucks.



[AMR436L](#)

[DISC BRAKE PAD SPREADER](#)

Works on all standard and four-piston caliper disc brakes



[AMM255L](#)

[BRAKE SHOE ADJUSTMENT GAUGE](#)

To measure clearance between brake drums and shoes with diameter from 6-1/2" to 14-1/4" (165 to 362mm)



[AMM723L](#)

[DISC BRAKE LINING WEAR GAUGE](#)

To measure brake lining remaining on pads in fractions from 1/16" to 5/8".



[AMR793E](#)

[15PC BRAKE SERVICE TOOL SET](#)

With this service kit, most of job for brakes can be done. One of this repair job is to remove front wheel. Comes with hard case.



[AMR1350R](#)

[U-JOINT REMOVER TOOL](#)

Removes stubborn U-joints quickly and easily. Designed for use with 1/2" impact wrench. Work on most "Dana Spicer" and "Rockwell" U-joints.



[AMM518C](#)

[PNEUMATIC BRAKE FLUID EXTRACTOR & REFILLED BOTTLE](#)

Vacuum operated and works on normal shop air; the unit contains a vacuum fluid extractor, bleeding hose and automatic refilled bottle.